

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 14/04/2025 Issue date: 24/03/2014 Revision date: 14/04/2022 Supersedes version of: 22/03/2021 Version: 2.4

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Product name : Odour-Kill

UFI : SGE1-2063-5009-ZH13

Product code : WP 0105

Type of product : Aqueous solution including surfactants, Mixture of non-pathogenic micro-organisms and

nutrients, Solvents

Product group : Blend

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

HA Climate Control Ltd

2 Yiannaki Taliotie

Mesa Chorio

8290 Paphos

Cyprus

T 00357 99063256

E-mail address of competent person responsible for SDS: haclimatecontrol@gmail.com

### 1.4. Emergency telephone number

Emergency number : 00357 99063256

: Cyprus Poison Centre 1401

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P280 - Wear eye protection, protective gloves.

P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements : EUH208 - Contains 2-methyl-2H-isothiazol-3-one(2682-20-4). May produce an allergic

reaction.

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25-XXXX	3 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
alcohols, C9-11, ethoxylated	CAS-No.: 68439-46-3	1 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
DIETHYL PHTHALATE substance with national workplace exposure limit(s) (GB)	CAS-No.: 84-66-2 EC-No.: 201-550-6	< 0.01	Not classified
DIPHENYL ETHER substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2	< 0.01	Eye Irrit. 2, H319
CAMPHOR substance with national workplace exposure limit(s) (GB)	CAS-No.: 76-22-2 EC-No.: 200-945-0	< 0.01	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
2-methyl-2H-isothiazol-3-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9	< 0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-methyl-2H-isothiazol-3-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 4: First aid measures**

First-aid measures after ingestion

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Apply antiseptic solution. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.

Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area

# 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

14/04/2022 (Revision date) GB - en 3/12

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to

prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective

equipment.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Maximum storage period : 2 year Storage temperature :  $\geq$  5 °C

### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA) [1]	999 mg/m³	
WEL TWA (OEL TWA) [2]	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m³	
WEL STEL (OEL STEL) [ppm]	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
DIETHYL PHTHALATE (84-66-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Diethyl phthalate	
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
DIPHENYL ETHER (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Diphenyl ether	
IOEL TWA	7 mg/m³	

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DIPHENYL ETHER (101-84-8)		
IOEL STEL	14 mg/m³	
IOEL STEL [ppm]	2 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
United Kingdom - Occupational Exposure Limits		
Local name	Diphenyl ether	
WEL TWA (OEL TWA) [1]	7 mg/m³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	14 mg/m³	
WEL STEL (OEL STEL) [ppm]	2 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
CAMPHOR (76-22-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Bornan-2-one	
WEL TWA (OEL TWA) [1]	13 mg/m³	
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	19 mg/m³	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

#### 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Safety glasses.

#### Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or safety glasses

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Opaque. Blue.

Odour : Odour relevant to fragrance.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : 82 – 100 °C Flash point : > 60 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 1 g/cm<sup>3</sup>

Solubility : soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

#### SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (definal)  Acute toxicity (inhalation)	Not classified  Not classified	
propan-2-ol; isopropyl alcohol; isopropanol (	67-63-0)	
LD50 oral rat	5045 mg/kg	
LD50 dermal rabbit	12800 mg/kg	
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))	
alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 oral rat	< 2000 mg/kg	
2-methyl-2H-isothiazol-3-one (2682-20-4)		
LD50 oral rat	183 mg/kg bodyweight	
LD50 dermal rat	218 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	0.53 mg/l/4h	
DIETHYL PHTHALATE (84-66-2)		
LD50 oral rat	8600 mg/kg	
LD50 dermal	22.4 g/kg Guinea Pig	
Skin corrosion/irritation :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Serious eye damage/irritation :	Causes serious eye irritation.	
Respiratory or skin sensitisation :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Germ cell mutagenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Carcinogenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Reproductive toxicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
STOT-single exposure :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>CAMPHOR</b> (76-22-2)		
STOT-single exposure	May cause damage to organs.	
STOT-repeated exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met	

## SECTION 12: Ecological information

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short-term

acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(diliono)			
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
LC50 - Fish [1]	9640 mg/l Fathead minnow (Pimephales promelas)		
EC50 72h - Algae [1]	> 1000 mg/l (Desmodesmus subspicatus)		
EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))		
EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)		
alcohols, C9-11, ethoxylated (68439-46-3)	alcohols, C9-11, ethoxylated (68439-46-3)		
LC50 - Fish [1]	1 – 10 mg/l		
2-methyl-2H-isothiazol-3-one (2682-20-4)			
LC50 - Fish [1]	4.77 mg/l Rainbow trout, Oncorhynchus mykiss		
EC50 - Crustacea [1]	0.87 mg/l		
EC50 72h - Algae [1]	0.157 mg/l		
EC50, microorganisms	41 mg/l (3 Hours)		
DIETHYL PHTHALATE (84-66-2)			
LC50 - Fish [1]	12 mg/l Rainbow trout		
LC50 - Fish [2]	29 mg/l Sheephead minnow		
EC50 - Crustacea [1]	90 mg/l		
EC50 72h - Algae [1]	45 mg/l		
NOEC chronic fish	1.9 mg/l		
NOEC chronic crustacea	43 mg/l		
NOEC chronic algae	9 mg/l		
CAMPHOR (76-22-2)			
LC50 - Fish [1]	33.25 mg/l		
EC50 - Crustacea [1]	4.23 mg/l		
EC50 72h - Algae [1]	1.71 mg/l		
NOEC chronic algae	0.032 mg/l		

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 12.2. Persistence and degradability

Bio 40 (WP 0105)		
Persistence and degradability	Not established.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Persistence and degradability	Readily biodegradable.	
Biochemical oxygen demand (BOD)	1.19 – 1.72 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
alcohols, C9-11, ethoxylated (68439-46-3)		
Persistence and degradability	Readily biodegradable.	

## 12.3. Bioaccumulative potential

Bio 40 (WP 0105)	
Bioaccumulative potential	Not established.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
Bioaccumulative potential	No bioaccumulation.
alcohols, C9-11, ethoxylated (68439-46-3)	
Bioaccumulative potential	Bioaccumulation unlikely.

# 12.4. Mobility in soil

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Surface tension	22.7 mN/m
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.

## 12.5. Results of PBT and vPvB assessment

Component	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
alcohols, C9-11, ethoxylated (68439-46-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose Product/Packaging disposal recommendations : Dispose Ecology - waste materials : Avoid recommendations : Dispose : Avoid recommendations : Dispose : Avoid recommendations : Dispose : Avoid recommendations : Avoid recommendation : Avoid recommendatio

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

14/04/2022 (Revision date) GB - en 9/12

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.2. UN proper shipping name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

### 14.6. Special precautions for user

#### **Overland transport**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### Inland waterway transport

Not regulated

### Rail transport

Not regulated

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

No additional information available

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
EC50	Median effective concentration	
EC-No.	European Community number	
LC50	Median lethal concentration	
LD50	Median lethal dose	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:			
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
EUH208	Contains 2-methyl-2H-isothiazol-3-one(2682-20-4). May produce an allergic reaction.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Sol. 2	Flammable solids, Category 2		
H225	Highly flammable liquid and vapour.		
H228	Flammable solid.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H371	May cause damage to organs.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.