

Technical Data Sheet

Odour-Kill

Kills bad odours
in A/C Systems



PHYSICAL PROPERTIES

Colour: Light blue.
Appearance: Light blue liquid.
Odour: Pleasant (perfume).
Solubility: Soluble in water.
Boiling point: No data available.
Flash point: ~65°C
Flammability: Non-flammable.
Density: 1g/cm³
pH: 4.8.

Odour-Kill removes the source of bad odours and unpleasant smells from HVAC equipment. Fast and effective removal of offensive odours at their source leaving a pleasant odour in its place.

The organic waste is neutralised and converted into harmless carbon dioxide and water, eliminating the offensive odours.

Removes general odours, cigarette smoke, pet odours, stale smells and more. Can be used on carpets, curtains, fabric seats, metals and any surface not harmed by water.

INSTRUCTIONS FOR USE:

Make sure AC is in cooling mode.

Air conditioners and ductwork simply spray Odour-Kill into the air intake, fan and filters and leave for 5-10 min before turning on.

Do not mix with disinfectants or any other chemicals. Odour Kill can also be sprayed and left to do its work over night, or permanently with no detrimental effect on surfaces not harmed by water. Keep only in the original container, in a cool, well ventilated place away from direct sunlight. Keep container closed when not in use.

The product does not harm humans or animals and is organic, biodegradable and environmentally friendly.

Hazard statements (CLP):

H319 – Causes serious eye irritation.

Precautionary statements (CLP):

P102 – Keep out of reach of children.

P264 – Wash hands thoroughly after handling.

P280 – Wear protective gloves, eye protection.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

P337+P313 – If eye irritation persists: Get medical advice/attention



This product should only be used by trained personnel. Directions for use are recommendations only: correct use will depend upon circumstances. To the extent permitted, no liability can be accepted for loss resulting from its use. Some materials and specifications could change without notice. Consult Safety Data Sheet for safety information.

Tel: 00357 99063256 advancedsolutionscy@gmail.com
www.advancedsolutionscy.com